

**PORTAL**  
USPTO

Subscribe (Full Service) Register (Limited Service, Free) Login

Search:  The ACM Digital Library  The Guide

request scan browser upload content selections

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used request scan browser upload content selections

Found 37,783 of 157,873

Sort results by  relevance  date  title  author

Save results to a Binder  
Try an Advanced Search  
Try this search in The ACM Guide

Display results  expanded form  detailed list

Open results in a new window

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

Best 200 shown

Relevance scale

**1 The Satchel system architecture: mobile access to documents and services**

Mike Flynn, David Pendlebury, Chris Jones, Marge Eldridge, Mik Lamming

December 2000 **Mobile Networks and Applications**, Volume 5 Issue 4

Full text available:  pdf(207.51 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Mobile professionals require access to documents and document-related services, such as printing, wherever they may be. They may also wish to give documents to colleagues electronically, as easily as with paper, face-to-face, and with similar security characteristics. The Satchel system provides such capabilities in the form of a mobile browser, implemented on a device that professional people would be likely to carry anyway, such as a pager or mobile phone. Printing may be per ...

**2 Mobility & wireless access: Sensor-enhanced mobile web clients: an XForms approach**

John Barton, Tim Kindberg, Hui Dai, Nissanka B. Priyantha, Fahd Al-bin-ali

May 2003 **Proceedings of the 12th international conference on World Wide Web**

Full text available:  pdf(485.90 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes methods for service selection and service access for mobile, sensor-enhanced web clients such as wireless cameras or wireless PDAs with sensor devices attached. The clients announce their data-creating capabilities in "Produce" headers sent to servers; servers respond with forms that match these capabilities. Clients fill in these forms with sensor data as well as text or file data. The resultant system enables clients to access dynamically discovered services spontaneously, ...

**Keywords:** MIME types, browsers, forms, mobile computing, sensors, ubiquitous computing

**3 Network security: Web tap: detecting covert web traffic**

Kevin Borders, Atul Prakash

October 2004 **Proceedings of the 11th ACM conference on Computer and communications security**

Full text available:  pdf(129.06 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

As network security is a growing concern, system administrators lock down their networks by closing inbound ports and only allowing outbound communication over selected protocols such as HTTP. Hackers, in turn, are forced to find ways to communicate with compromised

workstations by tunneling through web requests. While several tools attempt to analyze inbound traffic for denial-of-service and other attacks on web servers, Web Tap's focus is on detecting attempts to send significant amounts of ...

**Keywords:** HTTP, anomaly detection, covert channels, intrusion detection, spyware detection, tunnels

**4 Making computers disappear: appliance data services**

Andrew C. Huang, Benjamin C. Ling, John Barton, Armando Fox

July 2001 **Proceedings of the 7th annual international conference on Mobile computing and networking**

Full text available:  pdf(691.57 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Digital appliances designed to simplify everyday tasks are readily available to end consumers. For example, mobile users can retrieve Web content using handheld devices since content retrieval is well-supported by infrastructure services such as transformational proxies. However, the same type of support is lacking for input-centric devices, those that create content and allow users to share content. This lack of infrastructural support makes input-centric devices hard to use and less useful. ...

**5 People, places, things: web presence for the real world**

Tim Kindberg, John Barton, Jeff Morgan, Gene Becker, Debbie Caswell, Philippe Debatty, Gita Gopal, Marcos Frid, Venky Krishnan, Howard Morris, John Schettino, Bill Serra, Mirjana Spasojevic

October 2002 **Mobile Networks and Applications**, Volume 7 Issue 5

Full text available:  pdf(248.58 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The convergence of Web technology, wireless networks, and portable client devices provides new design opportunities for computer/communications systems. In the HP Labs' "Cooltown" project we have been exploring these opportunities through an infrastructure to support "web presence" for people, places and things. We put web servers into things like printers and put information into web servers about things like artwork; we group physically related things into places embodied in web servers. Using ...

**Keywords:** location-aware computing, nomadic computing, physical-virtual linkage, ubiquitous computing, world wide web

**6 Content: a practical, scalable, high-performance multimedia database**

Lawrence Yapp, Craig Yamashita, Gregory Zick

July 1997 **Proceedings of the second ACM international conference on Digital libraries**

Full text available:  pdf(923.86 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**7 Measurement: A high-level programming environment for packet trace anonymization and transformation**

Ruoming Pang, Vern Paxson

August 2003 **Proceedings of the 2003 conference on Applications, technologies, architectures, and protocols for computer communications**

Full text available:  pdf(251.27 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Packet traces of operational Internet traffic are invaluable to network research, but public

sharing of such traces is severely limited by the need to first remove all sensitive information. Current trace anonymization technology leaves only the packet headers intact, completely stripping the contents; to our knowledge, there are no publicly available traces of any significant size that contain packet payloads. We describe a new approach to transform and anonymize packet traces. Our tool provide ...

**Keywords:** anonymization, internet, measurement, network intrusion detection, packet trace, privacy, transformation

**8** Efficient Web form entry on PDAs

Oliver Kaljuvee, Orkut Buyukkokten, Hector Garcia-Molina, Andreas Paepcke

April 2001 **Proceedings of the 10th international conference on World Wide Web**

Full text available:  [pdf\(398.94 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



**Keywords:** PDA, WAP, forms, mobile computing, wireless access

**9** Social navigation: Making web sites be places for social interaction

Andreas Gergenohn, Alison Lee

November 2002 **Proceedings of the 2002 ACM conference on Computer supported cooperative work**

Full text available:  [pdf\(617.04 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



Technology can play an important role in enabling people to interact with each other. The Web is one such technology with the affordances for sharing information and for connecting people to people. In this paper, we describe the design of two social interaction Web sites for two different social groups. We review several related efforts to provide principles for creating social interaction environments and describe the specific principles that guided our design. To examine the effectiveness of ...

**Keywords:** awareness, common ground, communication, cooperation, participation, practice and experience, social interaction, usability, usage data, web-based collaboration

**10** Data integration and sharing II: Scientific data repositories: designing for a moving target

Etzard Stolte, Christoph von Praun, Gustavo Alonso, Thomas Gross

June 2003 **Proceedings of the 2003 ACM SIGMOD international conference on Management of data**

Full text available:  [pdf\(739.27 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



Managing scientific data warehouses requires constant adaptations to cope with changes in processing algorithms, computing environments, database schemas, and usage patterns. We have faced this challenge in the RHESSI Experimental Data Center (HEDC), a datacenter for the RHESSI NASA spacecraft. In this paper we describe our experience in developing HEDC and discuss in detail the design choices made. To successfully accommodate typical adaptations encountered in scientific data management systems ...

**11** Augmenting paper to enhance community information sharing

Antonietta Grasso, Alain Karsenty, Marco Susani

April 2000 **Proceedings of DARE 2000 on Designing augmented reality environments**



Full text available:  pdf(903.95 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Paper is traditionally considered as a major gap between the physical and electronic worlds, especially after the many attempts that have failed to attain a completely digital world. Paper based artifacts have many affordances that people want to continue to exploit.

The work presented here is part of the Campiello project. It describes how the existing paper artifacts in use during the visits to cultural and tourist towns as well as artefacts used for local communities can be extended ...

**Keywords:** augmented reality, paper user interface, recommender systems

## 12 XLibris: an automated library research assistant

Andrew Crossen, Jay Budzik, Mason Warner, Larry Birnbaum, Kristian J. Hammond  
January 2001 **Proceedings of the 6th international conference on Intelligent user interfaces**

Full text available:  pdf(209.48 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

While recent work has focused on providing tools and infrastructure for users to access electronic information over the Internet, the relationship between the physical world and information available online has been relatively unexplored. Information about a user's location, and the objects she interacts with, can be sufficient to recognize enough of the user's task to drive retrieval of online information relevant to the task at hand. The XLibris system automatically retrieves, aggregates ...

**Keywords:** automated retrieval, information aggregation, metasearch, ubiquitous computing

## 13 Architecture of a networked image search and retrieval system

R. Weber, J. Bollinger, T. Gross, H.-J. Schek  
November 1999 **Proceedings of the eighth international conference on Information and knowledge management**

Full text available:  pdf(1.67 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Large scale networked image retrieval systems face a number of problems that are not fully satisfied by current systems. On one hand, integrated solutions that store all image data centrally are often limited in terms of scalability and autonomy of data providers. On the other hand, WWW-based search engines proved to be fairly scalable, and data providers retain their autonomy. However, such engines often confront users with links to servers that are not available or to images that no longer ...

## 14 Interaction in the real world: The missing link: augmenting biology laboratory notebooks

Wendy E. Mackay, Guillaume Pothier, Catherine Letondal, Kaare Bøegh, Hans Erik Sørensen  
October 2002 **Proceedings of the 15th annual ACM symposium on User interface software and technology**

Full text available:  pdf(814.78 KB)  
 mov(258.00 bytes)  wmv(258.00 bytes) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Using a participatory design process, we created three prototype augmented laboratory notebooks that provide the missing link between paper, physical artifacts and on-line data. The final a-book combines a graphics tablet and a PDA. The tablet captures writing on the

paper notebook and the PDA acts as an "interaction lens" or window between physical and electronic documents. Our approach is document-centered, with a software architecture based on layers of physical and electronic informat ...

**Keywords:** SVG, a-book, augmented laboratory note-books, augmented reality, information layers, interaction lens, interactive paper

**15 Designing two nonprofit Web sites on less than \$350 US per year each**



Carl Stieren, Zbigniew Rachniowski

October 1996 **Proceedings of the 14th annual international conference on Systems documentation: Marshaling new technological forces: building a corporate, academic, and user-oriented triangle**

Full text available: [pdf\(915.29 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

**16 Augmenting recommender systems by embedding interfaces into practices**



Antonietta Grasso, Michael Koch, Alessandro Rancati

November 1999 **Proceedings of the international ACM SIGGROUP conference on Supporting group work**

Full text available: [pdf\(1.36 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Automated collaborative filtering systems promote the creation of a meta-layer of information, which describes users' evaluations of the quality and relevance of information items like scientific papers, books, and movies. A rich meta-layer is required, in order to elaborate statistically good predictions of the interest of the information items; the number of users' contributing to the feedback is a vital aspect for these systems to produce good prediction quality. The work presented here, ...

**Keywords:** paper interface, recommender system

**17 Practitioners report: The parks PDA: a handheld device for theme park guests in squeak**



Yoshiki Ohshima, John Maloney, Andy Ogden

October 2003 **Companion of the 18th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications**

Full text available: [pdf\(488.82 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The Parks PDA is a lightweight, handheld device for theme park guests that functions as a combination guidebook, map, and digital camera. Together with a small team of artists and designers, we created a prototype Parks PDA and content for a three hour guest experience, including a camera interface, a hyper-linked guide book, three games, an animal spotters guide, a cross-referenced map, animated movies with lip-synched sound, a ride reservation system, and more. Over 800 visitors to Disney's An ...

**Keywords:** PDA, development environment, end-user software, handheld device, multimedia data management, rapid software development

**18 Fast detection of communication patterns in distributed executions**



Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available:  pdf(4.21 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

**19 Novel interaction modalities I: The connected user interface: realizing a personal situated navigation service** 

Antonio Krüger, Andreas Butz, Christian Müller, Christoph Stahl, Rainer Wasinger, Karl-Ernst Steinberg, Andreas Dirschl

January 2004 **Proceedings of the 9th international conference on Intelligent user interface**

Full text available:  pdf(15.31 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Navigation services can be found in different situations and contexts: while connected to the web through a desktop PC, in cars, and more recently on PDAs while on foot. These services are usually well designed for their specific purpose, but fail to work in other situations. In this paper we present an approach that connects a variety of specialized user interfaces to achieve a personal navigation service spanning different situations. We describe the concepts behind the \bf BPN (BMW Personal N ...

**Keywords:** pedestrian navigation systems, ubiquitous interfaces

**20 Monitoring hacker activity with a Honeynet** 

Kevin Curran, Colman Morrissey, Colm Fagan, Colm Murphy, Brian O'Donnell, Gerry Fitzpatrick, Stephen Condit

March 2005 **International Journal of Network Management**, Volume 15 Issue 2

Full text available:  pdf(434.12 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The Honeynet Project was founded by 30 US based security professionals with the intention of researching the techniques, tools, tactics and motives of hackers and the 'blackhat' community in general. A Honeynet Project is an all volunteer, non-profit organization committed to sharing and learning the motives, tools, and tactics of the hacking community. It is comprised of a number of information security professionals dedicated to honeynet research and information security. This paper outlines t ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

	Document ID	Issue Date	Title	Current OR
1	US 20050120024 A1	20050602	Systems, methods, and computer program products for tracking and controlling Internet use and recovering costs associated therewith	707/10
2	US 20050027815 A1	20050203	Establishment of network connections	709/217
3	US 20040205459 A1	20041014	Browser-controlled scanning system and method	715/500
4	US 20040122951 A1	20040624	Method and apparatus for providing Web users with a click-to-contact service	709/227
5	US 20040080534 A1	20040429	Front Message exchange system and method	715/751
6	US 20040046014 A1	20040311	System and method for carrying out information-related transactions using web documents embodying transaction-enabling applets automatically launched and executed in response to reading URL-encoded symbols pointing thereto	235/375
7	US 20040032624 A1	20040219	Digital transmitter device	358/402
8	US 20040025187 A1	20040205	Web-enabled live scanner and method for control	725/105
9	US 20030233437 A1	20031218	Browser, method, and computer program product for managing documents	709/223
10	US 20030217034 A1	20031120	Document management system and method	707/1
11	US 20030213846 A1	20031120	Web-enabled system and method for designing and manufacturing optical code reading systems	235/462.01

	Document ID	Issue Date	Title	Current OR
12	US 20030043844 A1	20030306	Method and apparatus for improving utilization efficiency of wireless links for web-based applications	370/466
13	US 20030018470 A1	20030123	System and method for automatic semantic coding of free response data using Hidden Markov Model methodology	704/10
14	US 20020196929 A1	20021226	Enhanced agent automatic call distribution Control	379/266.01
15	US 20020135794 A1	20020926	Internet delivery of digitized photographs	358/1.15
16	US 20020112048 A1	20020815	System and method for providing behavioral information of a user accessing on-line resources	709/224
17	US 20010050684 A1	20011213	Global lab software	345/467
18	US 6910631 B2	20050628	Web-enabled system and method for designing and manufacturing bar code scanners	235/462.01
19	US 6901207 B1	20050531	Audio/visual device for capturing, searching and/or displaying audio/visual material	386/83
20	US 6801620 B2	20041005	Enhanced agent automatic call distribution control	379/266.01
21	US 6785728 B1	20040831	Distributed administration of access to information	709/229
22	US 6728886 B1	20040427	Distributed virus scanning arrangements and methods therefor	713/201

	Document ID	Issue Date	Title	Current OR
23	US 6568595 B1	20030527	SYSTEM AND METHOD FOR CARRYING OUT ELECTRONIC-COMMERCE TRANSACTIONS USING WEB DOCUMENTS EMBODYING ELECTRONIC-COMMERCE ENABLING APPLETS AUTOMATICALLY LAUNCHED AND EXECUTED IN RESPONSE TO READING URL-ENCODED SYMBOLS POINTING THERETO	235/462.01
24	US 6540140 B1	20030401	Web-enabled system and method for designing and manufacturing bar code scanners	235/462.01
25	US 6408336 B1	20020618	Distributed administration of access to information	709/229
26	US 6289371 B1	20010911	Network scan server support method using a web browser	709/203
27	US 6182897 B1	20010206	Web-enabled system and method for designing and manufacturing laser scanners	235/462.01
28	US 6182229 B1	20010130	Password helper using a client-side master password which automatically presents the appropriate server-side password in a particular remote server	713/202
29	US 6178505 B1	20010123	Secure delivery of information in a network	713/168
30	US 6169545 B1	20010102	Data management within a virtual environment browser	715/748
31	US 6105027 A	20000815	Techniques for eliminating redundant access checking by access filters	707/9
32	US 6085224 A	20000704	Method and system for responding to hidden data and programs in a datastream	709/203

	Document ID	Issue Date	Title	Current OR
33	US 6006333 A	19991221	Password helper using a client-side master password which automatically presents the appropriate server-side password to a particular remote server	713/202
34	US 5918237 A	19990629	System and method for providing multimedia bookmarks for hypertext markup language files	715/513